



SCHEDE TECNICHE
Technical data sheet



VASI IDRICI MULTIFUNZIONE
MULTIFUNCTION WATER TANKS



Intervarem

LINE

LS

SOLLEVAMENTO ACQUA - ACQUA CALDA SANITARIA
WATER BOOSTER SYSTEMS - DOMESTIC HOT WATER

by **VAREM S.p.A.** - Technical Department - creator *Mauro Fucis*

Nr.13/2005

中国代理商—南京亚勤科贸有限公司

<http://www.chinayaqin.com>

Tel:025-57045861

Fax:025-57055861



SCHEDA TECNICA - Technical data sheet

Modello-Model: **INTERVAREM LS**

Codice-Code: **S2 005 361**



Capacità Capacity	Codice Code	Press. Max bar	Raccordo Connector	Dimensioni <i>Dimensions</i>						Peso Weight Kg.	Imballo Packaged Volume m3
				Ø	A	B	C	D	E		
5 L	S2 005 361	10.0 bar	1" gas	160	320	275	-	-	-	0,1	0,01

Parti di ricambio - Spare parts


Controflangia Coverflange		
Codice-Code :	V50009	
Materiale-Material:	FE	
Trattamento-Treatment :	Zincata-Galvanized	

Membrana Membrane		
Codice-Code :	V42008	
Materiale-Material:	Gomma BUTILE	
Trattamento-Treatment :		

Controfl. Superiore Top flange		
Codice-Code :		
Materiale-Material:		
Trattamento-Treatment :		


Dado Nut		
Codice-Code :		
Materiale-Material:		
Trattamento-Treatment :		

Valvola Precarica Precharge valve		
Codice-Code :	V50800	
Materiale-Material:	Ottone - Brass	
Trattamento-Treatment :		



Dimensioni Scatola -
 Dimensions box:

A=340 B=180 H=170





SCHEDA TECNICA - Technical data sheet



Modello-Model: **INTERVAREM LS**


Codice-Code: **S2 008 361**



Capacità Capacity	Codice Code	Press. Max bar	Raccordo Connector	Dimensioni <i>Dimensions</i>						Peso Weight Kg.	Imballo Packaged Volume m3
				Ø	A	B	C	D	E		
8 L	S2 008 361	10.0 bar	1" gas	200	335	390	-	-	-	2.05	0.016


Parti di ricambio - Spare parts

Controflangia Coverflange		
Codice-Code :	V50009	
Materiale-Material:	FE	
Trattamento-Treatment :	Zincata-Galvanized	
Membrana Membrane		
Codice-Code :	V42008	
Materiale-Material:	Gomma BUTILE	
Trattamento-Treatment :		
Controfl. Superiore Top flange		
Codice-Code :		
Materiale-Material:		
Trattamento-Treatment :		
Dado Nut		
Codice-Code :		
Materiale-Material:		
Trattamento-Treatment :		
Valvola Precarica Precharge valve		
Codice-Code :	V50800	
Materiale-Material:	Ottone - Brass	
Trattamento-Treatment :		



Dimensioni Scatola -
 Dimensions box:

A=340 B=180 H=170





SCHEDA TECNICA - Technical data sheet



Modello-Model: **INTERVAREM LS**


Codice-Code: **S2 012 361**



Capacità Capacity	Codice Code	Press. Max bar	Raccordo Connector	Dimensioni <i>Dimensions</i>						Peso Weight Kg.	Imballo Packaged Volume m3
				Ø	A	B	C	D	E		
12 L	S2 012 361	10.0 bar	1" gas	270	315	270	-	-	-	4,00	0.027


Parti di ricambio - Spare parts

Controflangia Coverflange		
Codice-Code :	V50009	
Materiale-Material:	FE	
Trattamento-Treatment :	Zincata-Galvanized	
Membrana Membrane		
Codice-Code :	V42012	
Materiale-Material:	Gomma BUTILE	
Trattamento-Treatment :		
Controfl. Superiore Top flange		
Codice-Code :		
Materiale-Material:		
Trattamento-Treatment :		
Dado Nut		
Codice-Code :		
Materiale-Material:		
Trattamento-Treatment :		
Valvola Precarica Precharge valve		
Codice-Code :	V50800	
Materiale-Material:	Ottone - Brass	
Trattamento-Treatment :		



Dimensioni Scatola -
 Dimensions box:

A=280 B=280 H=320





SCHEDA TECNICA - *Technical data sheet*



Modello-Model: **INTERVAREM LS**

Codice-Code: **S2 019 361**



Capacità Capacity	Codice Code	Press. Max bar	Raccordo Connector	Dimensioni <i>Dimensions</i>						Peso Weight Kg.	Imballo Packaged Volume m3
				Ø	A	B	C	D	E		
19 L	S2 019 361	10.0 bar	1" gas	270	410	360	-	-	-	5,00	0.033

Parti di ricambio - *Spare parts*


Controflangia Coverflange		
Codice-Code :	V50025	
Materiale-Material:	FE	
Trattamento-Treatment :	Zincata-Galvanized	

Membrana Membrane		
Codice-Code :	V42019	
Materiale-Material:	Gomma BUTILE	
Trattamento-Treatment :		

Controfl. Superiore Top flange		
Codice-Code :		
Materiale-Material:		
Trattamento-Treatment :		


Dado Nut		
Codice-Code :		
Materiale-Material:		
Trattamento-Treatment :		

Valvola Precarica Precharge valve		
Codice-Code :	V50800	
Materiale-Material:	Ottone - Brass	
Trattamento-Treatment :		



Dimensioni Scatola -
Dimensions box:

A=395 B=285 H=280





SCHEDA TECNICA - *Technical data sheet*



Modello-Model: **INTERVAREM LS**

Codice-Code: **S2 020 361**



Capacità Capacity	Codice Code	Press. Max bar	Raccordo Connector	Dimensioni <i>Dimensions</i>						Peso Weight Kg.	Imballo Packaged Volume m3
				Ø	A	B	C	D	E		
20 L	S2 020 361	10.0 bar	1" gas	250	495	455	-	-	-	6,00	0.038

Parti di ricambio - *Spare parts*


Controflangia Coverflange		
Codice-Code :	V50025	
Materiale-Material:	FE	
Trattamento-Treatment :	Zincata-Galvanized	

Membrana Membrane		
Codice-Code :	V42019	
Materiale-Material:	Gomma BUTILE	
Trattamento-Treatment :		

Controfl. Superiore Top flange		
Codice-Code :		
Materiale-Material:		
Trattamento-Treatment :		


Dado Nut		
Codice-Code :		
Materiale-Material:		
Trattamento-Treatment :		

Valvola Precarica Precharge valve		
Codice-Code :	V50800	
Materiale-Material:	Ottone - Brass	
Trattamento-Treatment :		



Dimensioni Scatola -
Dimensions box:

A=510 B=270 H=275





SCHEDA TECNICA - Technical data sheet



Modello-Model: **INTERVAREM LS**

Codice-Code: **S2 025 361**



Capacità Capacity	Codice Code	Press. Max bar	Raccordo Connector	Dimensioni <i>Dimensions</i>						Peso Weight Kg.	Imballo Packaged Volume m3
				Ø	A	B	C	D	E		
25 L	S2 025 361	10.0 bar	1" gas	250	450	410	-	-	-	5,00	0.05

Parti di ricambio - Spare parts


Controflangia Coverflange		
Codice-Code :	V50025	
Materiale-Material:	FE	
Trattamento-Treatment :	Zincata-Galvanized	

Membrana Membrane		
Codice-Code :	V42024	
Materiale-Material:	Gomma BUTILE	
Trattamento-Treatment :		

Controfl. Superiore Top flange		
Codice-Code :		
Materiale-Material:		
Trattamento-Treatment :		


Dado Nut		
Codice-Code :		
Materiale-Material:		
Trattamento-Treatment :		

Valvola Precarica Precharge valve		
Codice-Code :	V50800	
Materiale-Material:	Ottone - Brass	
Trattamento-Treatment :		



Dimensioni Scatola -
 Dimensions box:

A=460 B=300 H=300





SCHEDA TECNICA - Technical data sheet



Modello-Model: **INTERVAREM LS**

Codice-Code: **S2 040 361**



Capacità Capacity	Codice Code	Press. Max bar	Raccordo Connector	Dimensioni <i>Dimensions</i>						Peso Weight Kg.	Imballo Packaged Volume m3
				Ø	A	B	C	D	E		
40 L	S2 040 361	10.0 bar	1" gas	320	582	540	-	-	-	8,00	0.08

Parti di ricambio - Spare parts


Controflangia Coverflange		
Codice-Code :	V50025	
Materiale-Material:	FE	
Trattamento-Treatment :	Zincata-Galvanized	

Membrana Membrane		
Codice-Code :	V42020	
Materiale-Material:	Gomma BUTILE	
Trattamento-Treatment :		

Controfl. Superiore Top flange		
Codice-Code :		
Materiale-Material:		
Trattamento-Treatment :		


Dado Nut		
Codice-Code :		
Materiale-Material:		
Trattamento-Treatment :		

Valvola Precarica Precharge valve		
Codice-Code :	V50800	
Materiale-Material:	Ottone - Brass	
Trattamento-Treatment :		



Dimensioni Scatola -
 Dimensions box:

A=590 B=335 H=355





SCHEDA TECNICA - *Technical data sheet*



Modello-Model: **INTERVAREM LS**

Codice-Code: **S2 024 361**



Capacità Capacity	Codice Code	Press. Max bar	Raccordo Connector	Dimensioni <i>Dimensions</i>						Peso Weight Kg.	Imballo Packaged Volume m3
				Ø	A	B	C	D	E		
24 L	S2 024 361	10.0 bar	1" gas	350	340	300	-	-	-	6,00	0.05

Parti di ricambio - *Spare parts*


Controflangia Coverflange		
Codice-Code :	V50025	
Materiale-Material:	FE	
Trattamento-Treatment:	Zincata-Galvanized	

Membrana Membrane		
Codice-Code :	V42019	
Materiale-Material:	Gomma BUTILE	
Trattamento-Treatment:		

Controfl. Superiore Top flange		
Codice-Code :		
Materiale-Material:		
Trattamento-Treatment:		


Dado Nut		
Codice-Code :		
Materiale-Material:		
Trattamento-Treatment:		

Valvola Precarica Precharge valve		
Codice-Code :	V50800	
Materiale-Material:	Ottone - Brass	
Trattamento-Treatment:		



Dimensioni Scatola -
Dimensions box:

A=510 B=270 H=275





SCHEDA TECNICA - *Technical data sheet*



Modello-Model: **INTERVAREM LS**

Codice-Code: **S2 019 361 BP**



Capacità Capacity	Codice Code	Press. Max bar	Raccordo Connector	Dimensioni Dimensions						Peso Weight Kg.	Imballo Packaged Volume m3
				Ø	A	B	C	D	E		
19 L	S2 019 361 BP	10.0 bar	1" gas	270	402	357	215	145	290	5,00	0.038

Parti di ricambio - *Spare parts*


Controflangia Coverflange		
Codice-Code :	V50025	
Materiale-Material :	FE	
Trattamento-Treatment :	Zincata-Galvanized	

Membrana Membrane		
Codice-Code :	V42019	
Materiale-Material :	Gomma BUTILE	
Trattamento-Treatment :		

Controfl. Superiore Top flange		
Codice-Code :		
Materiale-Material :		
Trattamento-Treatment :		


Dado Nut		
Codice-Code :		
Materiale-Material :		
Trattamento-Treatment :		

Valvola Precarica Precharge valve		
Codice-Code :	V50800	
Materiale-Material :	Ottone - Brass	
Trattamento-Treatment :		



Dimensioni Scatola -
Dimensions box:

A=510 B=270 H=275



SCHEDA TECNICA - *Technical data sheet*



Modello-Model: **INTERVAREM LS**

Codice-Code: **S2 020 361 BP**



Capacità Capacity	Codice Code	Press. Max bar	Raccordo Connector	Dimensioni Dimensions						Peso Weight Kg.	Imballo Packaged Volume m3
				Ø	A	B	C	D	E		
20 L	S2 020 361 BP	10.0 bar	1" gas	250	495	450	250	137	275	6,70	0.038

Parti di ricambio - *Spare parts*


Controflangia Coverflange		
Codice-Code :	V50025	
Materiale-Material:	FE	
Trattamento-Treatment :	Zincata-Galvanized	

Membrana Membrane		
Codice-Code :	V42019	
Materiale-Material:	Gomma BUTILE	
Trattamento-Treatment :		

Controfl. Superiore Top flange		
Codice-Code :		
Materiale-Material:		
Trattamento-Treatment :		

Dado Nut		
Codice-Code :		
Materiale-Material:		
Trattamento-Treatment :		

Valvola Precarica Precharge valve		
Codice-Code :	V50800	
Materiale-Material:	Ottone - Brass	
Trattamento-Treatment :		



Dimensioni Scatola -
Dimensions box:

A=510 B=270 H=275

