



SCHEDE TECNICHE
Technical data sheet



**AUTOCLAVI
PRESSURE TANKS**



Maxivarem

LINE

LS

SOLLEVAMENTO ACQUA - ACQUA CALDA
WATER BOOSTER SYSTEMS - DOMESTIC HOT WATER

by **VAREM S.p.A.** - Technical Department - creator *Mauro Fucis*

Nr.15/2005

中国代理商—南京亚勤科贸有限公司

<http://www.chinayaqin.com>

Tel:025-57045861

Fax:025-57055861



SCHEDA TECNICA - Technical data sheet



Modello-Model: **MAXIVAREM LS**

Codice-Code: **US 060 361**



Capacità Capacity	Codice Code	Press. Max bar	Raccordo Connector	Dimensioni Dimensions						Peso Weight Kg.	Imballo Packaged Volume m3
				Ø	A	B	C	D	E		
60 L	US 060 361	10 bar	1" gas	380	860	620	630	175	-	14	0,15

Parti di ricambio - Spare parts


Controflangia Coverflange		
Codice-Code :	V50025	
Materiale-Material:	FE	
Trattamento-Treatment :	Zincata-Galvanized	

Membrana Membrane		
Codice-Code :	V42060	
Materiale-Material:	Gomma BUTILE	
Trattamento-Treatment :		

Controfl. Superiore Top flange		
Codice-Code :		
Materiale-Material:		
Trattamento-Treatment :		


Dado Nut		
Codice-Code :		
Materiale-Material:		
Trattamento-Treatment :		

Valvola Precarica Precharge valve		
Codice-Code :	V50801	
Materiale-Material:	Ottone - Brass	
Trattamento-Treatment :		



Dimensioni Scatola -
Dimensions box:

A=870 B=375 H=405





SCHEDA TECNICA - Technical data sheet



Modello-Model: **MAXIVAREM LS**

Codice-Code: **US 080 361**



Capacità Capacity	Codice Code	Press. Max bar	Raccordo Connector	Dimensioni Dimensions						Peso Weight Kg.	Imballo Packaged Volume m3
				Ø	A	B	C	D	E		
80 L	US 080 361	10 bar	1" gas	450	825	600	605	175	-	16	0.17

Parti di ricambio - Spare parts


Controflangia Coverflange		
Codice-Code :	V50025	
Materiale-Material:	FE	
Trattamento-Treatment :	Zincata-Galvanized	

Membrana Membrane		
Codice-Code :	V42080	
Materiale-Material:	Gomma BUTILE	
Trattamento-Treatment :		

Controfl. Superiore Top flange		
Codice-Code :		
Materiale-Material:		
Trattamento-Treatment :		


Dado Nut		
Codice-Code :		
Materiale-Material:		
Trattamento-Treatment :		

Valvola Precarica Precharge valve		
Codice-Code :	V50801	
Materiale-Material:	Ottone - Brass	
Trattamento-Treatment :		



Dimensioni Scatola -
Dimensions box:

A=880 B=430 H=470





SCHEDA TECNICA - Technical data sheet



Modello-Model: **MAXIVAREM LS**

Codice-Code: **US 100 361**



Capacità Capacity	Codice Code	Press. Max bar	Raccordo Connector	Dimensioni Dimensions						Peso Weight Kg.	Imballo Packaged Volume m3
				Ø	A	B	C	D	E		
100 L	US 100 361	10 bar	1" gas	450	940	670	720	175	-	19	0,2

Parti di ricambio - Spare parts


Controflangia Coverflange		
Codice-Code :	V50025	
Materiale-Material:	FE	
Trattamento-Treatment :	Zincata-Galvanized	

Membrana Membrane		
Codice-Code :	V42080F	
Materiale-Material:	Gomma BUTILE	
Trattamento-Treatment :		

Controfl.Superiore Top flange		
Codice-Code :	V50301	
Materiale-Material:	FE	
Trattamento-Treatment :	Zincata-Galvanized	


Dado Nut		
Codice-Code :	V50880	
Materiale-Material:	FE	
Trattamento-Treatment :	Zincato-Galvanized	

Valvola Precarica Precharge valve		
Codice-Code :	V50801	
Materiale-Material:	Ottone - Brass	
Trattamento-Treatment :		



Dimensioni Scatola -
Dimensions box:

A=880 B=430 H=470





SCHEDA TECNICA - Technical data sheet



Modello-Model: **MAXIVAREM LS**

Codice-Code: **US 200 461**



Capacità Capacity	Codice Code	Press. Max bar	Raccordo Connector	Dimensioni Dimensions						Peso Weight Kg.	Imballo Packaged Volume m3
				Ø	A	B	C	D	E		
200 L	US 200 461	10 bar	1"1/2 gas	550	1270	950	910	200	-	45	0,42

Parti di ricambio - Spare parts


Controflangia Coverflange		
Codice-Code :	V50300	
Materiale-Material:	FE	
Trattamento-Treatment :	Verniciata-Painted	

Membrana Membrane		
Codice-Code :	V42200	
Materiale-Material:	Gomma BUTILE	
Trattamento-Treatment :		

Controfl.Superiore Top flange		
Codice-Code :	V50301	
Materiale-Material:	FE	
Trattamento-Treatment :	Zincata-Galvanized	


Dado Nut		
Codice-Code :	V50880	
Materiale-Material:	FE	
Trattamento-Treatment :	Zincato-Galvanized	

Valvola Precarica Precharge valve		
Codice-Code :	V50802	
Materiale-Material:	Ottone - Brass	
Trattamento-Treatment :		



Dimensioni Scatola -
Dimensions box:

A=1280 B=580 H=590





SCHEDA TECNICA - Technical data sheet



Modello-Model: **MAXIVAREM LS**

Codice-Code: **US 300 461**



Capacità Capacity	Codice Code	Press. Max bar	Raccordo Connector	Dimensioni Dimensions						Peso Weight Kg.	Imballo Packaged Volume m3
				Ø	A	B	C	D	E		
300 L	US 300 461	10 bar	1"1/2 gas	630	1400	1080	1000	175	-	54	0,63

Parti di ricambio - Spare parts


Controflangia Coverflange		
Codice-Code :	V50300	
Materiale-Material:	FE	
Trattamento-Treatment :	Verniciata-Painted	

Membrana Membrane		
Codice-Code :	V42300	
Materiale-Material:	Gomma BUTILE	
Trattamento-Treatment :		

Controfl.Superiore Top flange		
Codice-Code :	V50301	
Materiale-Material:	FE	
Trattamento-Treatment :	Zincata-Galvanized	


Dado Nut		
Codice-Code :	V50880	
Materiale-Material:	FE	
Trattamento-Treatment :	Zincato-Galvanized	

Valvola Precarica Precharge valve		
Codice-Code :	V50802	
Materiale-Material:	Ottone - Brass	
Trattamento-Treatment :		



Dimensioni Scatola -
Dimensions box:

A=1440 B=665 H=670





SCHEDA TECNICA - *Technical data sheet*



Modello-Model: **MAXIVAREM LS**

Codice-Code: **US 500 461**



Capacità Capacity	Codice Code	Press. Max bar	Raccordo Connector	Dimensioni <i>Dimensions</i>						Peso Weight Kg.	Imballo Packaged Volume m3
				Ø	A	B	C	D	E		
500 L	US 500 461	10 bar	1"1/2 gas	780	1480	1180	1090	180	-	104	1,3

Parti di ricambio - *Spare parts*


Controflangia Coverflange		
Codice-Code :	V50500	
Materiale-Material:	FE	
Trattamento-Treatment :	Verniciata-Painted	

Membrana Membrane		
Codice-Code :	V42500	
Materiale-Material:	Gomma BUTILE	
Trattamento-Treatment :		

Controfl.Superiore Top flange		
Codice-Code :	V50301	
Materiale-Material:	FE	
Trattamento-Treatment :	Zincata-Galvanized	

Dado Nut		
Codice-Code :	V50880	
Materiale-Material:	FE	
Trattamento-Treatment :	Zincato-Galvanized	

Valvola Precarica Precharge valve		
Codice-Code :	V50802	
Materiale-Material:	Ottone - Brass	
Trattamento-Treatment :		



Dimensioni Scatola -
Dimensions box:

Paletta=750x620 H=1670





SCHEDA TECNICA - *Technical data sheet*



Modello-Model: **MAXIVAREM LS**


Codice-Code: **US 750 461**



Capacità Capacity	Codice Code	Press. Max bar	Raccordo Connector	Dimensioni <i>Dimensions</i>						Peso Weight Kg.	Imballo Packaged Volume m3
				Ø	A	B	C	D	E		
750 L	US 750 461	10 bar	1"1/2 gas	780	1940	1585	-	230	-	190	2

Parti di ricambio - *Spare parts*

Controflangia Coverflange			
Codice-Code :	V50500		
Materiale-Material:	FE		
Trattamento-Treatment:	Verniciata-Painted		
Membrana Membrane			
Codice-Code :	V421000		
Materiale-Material:	Gomma BUTILE		
Trattamento-Treatment:			
Controfl.Superiore Top flange			
Codice-Code :	V50305		
Materiale-Material:	FE		
Trattamento-Treatment:	Zincata-Galvanized		
Dado Nut			
Codice-Code :	V50880		
Materiale-Material:	FE		
Trattamento-Treatment:	Zincato-Galvanized		
Valvola Precarica Precharge valve			
Codice-Code :	V50802		
Materiale-Material:	Ottone - Brass		
Trattamento-Treatment:			



Dimensioni Scatola -
Dimensions box:

Paletta=750x620 H=2000





SCHEDA TECNICA - Technical data sheet

Modello-Model: **MAXIVAREM LS**

Codice-Code: **S3 N10 H61**



Capacità Capacity	Codice Code	Press. Max bar	Raccordo Connector	Dimensioni <i>Dimensions</i>						Peso Weight Kg.	Imballo Packaged Volume m3
				Ø	A	B	C	D	E		
1000 L	S3 N10 H61	10 bar	2" gas	930	1960	1610	-	140	-	215	2,2

Parti di ricambio - Spare parts


Controflangia Coverflange		
Codice-Code :	V501000	
Materiale-Material:	FE	
Trattamento-Treatment :	Verniciata-Painted	

Membrana Membrane		
Codice-Code :	V421000	
Materiale-Material:	Gomma BUTILE	
Trattamento-Treatment :		

Controfl.Superiore Top flange		
Codice-Code :	V50305	
Materiale-Material:	FE	
Trattamento-Treatment :	Zincata-Galvanized	

Dado Nut		
Codice-Code :	V50880	
Materiale-Material:	FE	
Trattamento-Treatment :	Zincato-Galvanized	

Valvola Precarica Precharge valve		
Codice-Code :	V50802	
Materiale-Material:	Ottone - Brass	
Trattamento-Treatment :		



Dimensioni Scatola -
Dimensions box:

Paletta=800x900 H=2050





SCHEDA TECNICA - Technical data sheet

Modello-Model: **MAXIVAREM LS**

Codice-Code: **S3 N20 H61**



Capacità Capacity	Codice Code	Press. Max bar	Raccordo Connector	Dimensioni <i>Dimensions</i>						Peso Weight Kg.	Imballo Packaged Volume m3
				Ø	A	B	C	D	E		
2000 L	S3 N20 H61	10 bar	2" gas	1280	2210	1840	-	250	-	375	3,7

Parti di ricambio - Spare parts


Controflangia Coverflange		
Codice-Code :	V501000	
Materiale-Material:	FE	
Trattamento-Treatment :	Verniciata-Painted	

Membrana Membrane		
Codice-Code :	V421000	
Materiale-Material:	Gomma BUTILE	
Trattamento-Treatment :		

Controfl.Superiore Top flange		
Codice-Code :	V50305	
Materiale-Material:	FE	
Trattamento-Treatment :	Zincata-Galvanized	

Dado Nut		
Codice-Code :	V50880	
Materiale-Material:	FE	
Trattamento-Treatment :	Zincato-Galvanized	

Valvola Precarica Precharge valve		
Codice-Code :	V50802	
Materiale-Material:	Ottone - Brass	
Trattamento-Treatment :		



Dimensioni Scatola - *Dimensions box:*

Paletta=1000x1200 H=2330





SCHEDA TECNICA - Technical data sheet



Modello-Model: **MAXIVAREM LS**

Codice-Code: **US 061 361**



Capacità Capacity	Codice Code	Press. Max bar	Raccordo Connector	Dimensioni Dimensions						Peso Weight Kg.	Imballo Packaged Volume m3
				Ø	A	B	C	D	E		
60 L	US 061 361	10 bar	1" gas	380	680	630	630	175	-	16	0,13

Parti di ricambio - Spare parts


Controflangia Coverflange		
Codice-Code :	V50025	
Materiale-Material:	FE	
Trattamento-Treatment :	Zincata-Galvanized	

Membrana Membrane		
Codice-Code :	V42060	
Materiale-Material:	Gomma BUTILE	
Trattamento-Treatment :		

Controfl. Superiore Top flange		
Codice-Code :		
Materiale-Material:		
Trattamento-Treatment :		


Dado Nut		
Codice-Code :		
Materiale-Material:		
Trattamento-Treatment :		

Valvola Precarica Precharge valve		
Codice-Code :	V50801	
Materiale-Material:	Ottone - Brass	
Trattamento-Treatment :		



Dimensioni Scatola -
Dimensions box:

A=705 B=375 H=425



SCHEDA TECNICA - *Technical data sheet*



Modello-Model: **MAXIVAREM LS**

Codice-Code: **US 081 361**



Capacità Capacity	Codice Code	Press. Max bar	Raccordo Connector	Dimensioni <i>Dimensions</i>						Peso Weight Kg.	Imballo Packaged Volume m3
				Ø	A	B	C	D	E		
80 L	US 080 361	10 bar	1" gas	450	640	595	232	240	475	19	0,15

Parti di ricambio - *Spare parts*


Controflangia Coverflange		
Codice-Code :	V50025	
Materiale-Material:	FE	
Trattamento-Treatment :	Zincata-Galvanized	

Membrana Membrane		
Codice-Code :	V42080	
Materiale-Material:	Gomma BUTILE	
Trattamento-Treatment :		

Controfl. Superiore Top flange		
Codice-Code :		
Materiale-Material:		
Trattamento-Treatment :		


Dado Nut		
Codice-Code :		
Materiale-Material:		
Trattamento-Treatment :		

Valvola Precarica Precharge valve		
Codice-Code :	V50801	
Materiale-Material:	Ottone - Brass	
Trattamento-Treatment :		



Dimensioni Scatola -
Dimensions box:

A=700 B=465 H=475



SCHEDA TECNICA - Technical data sheet



Modello-Model: **MAXIVAREM LS**

Codice-Code: **US 101 361**



Capacità Capacity	Codice Code	Press. Max bar	Raccordo Connector	Dimensioni Dimensions						Peso Weight Kg.	Imballo Packaged Volume m3
				Ø	A	B	C	D	E		
100 L	US 101 361	10 bar	1" gas	450	750	670	260	250	480	18	0,2

Parti di ricambio - Spare parts


Controflangia Coverflange		
Codice-Code :	V50025	
Materiale-Material:	FE	
Trattamento-Treatment :	Zincata-Galvanized	

Membrana Membrane		
Codice-Code :	V42080F	
Materiale-Material:	Gomma BUTILE	
Trattamento-Treatment :		

Controfl.Superiore Top flange		
Codice-Code :	V50301	
Materiale-Material:	FE	
Trattamento-Treatment :	Zincata-Galvanized	


Dado Nut		
Codice-Code :	V50880	
Materiale-Material:	FE	
Trattamento-Treatment :	Zincato-Galvanized	

Valvola Precarica Precharge valve		
Codice-Code :	V50801	
Materiale-Material:	Ottone - Brass	
Trattamento-Treatment :		



Dimensioni Scatola -
Dimensions box:

A=820 B=450 H=490



SCHEDA TECNICA - Technical data sheet



Modello-Model: **MAXIVAREM LS**

Codice-Code: **US 201 461**



Capacità Capacity	Codice Code	Press. Max bar	Raccordo Connector	Dimensioni Dimensions						Peso Weight Kg.	Imballo Packaged Volume m3
				Ø	A	B	C	D	E		
200 L	US 201 461	10 bar	1"1/2 gas	550	1060	950	360	300	580	43	0,36

Parti di ricambio - Spare parts

Controflangia Coverflange		
Codice-Code :	V50300	
Materiale-Material:	FE	
Trattamento-Treatment :	Verniciata-Painted	



Membrana Membrane		
Codice-Code :	V42200	
Materiale-Material:	Gomma BUTILE	
Trattamento-Treatment :		




Controfl.Superiore Top flange		
Codice-Code :	V50301	
Materiale-Material:	FE	
Trattamento-Treatment :	Zincata-Galvanized	



Dado Nut		
Codice-Code :	V50880	
Materiale-Material:	FE	
Trattamento-Treatment :	Zincato-Galvanized	




Valvola Precarica Precharge valve		
Codice-Code :	V50802	
Materiale-Material:	Ottone - Brass	
Trattamento-Treatment :		



Dimensioni Scatola -
Dimensions box:

A=1120 B=560 H=590



SCHEDA TECNICA - Technical data sheet



Modello-Model: **MAXIVAREM LS**

Codice-Code: **US 301 461**



Capacità Capacity	Codice Code	Press. Max bar	Raccordo Connector	Dimensioni Dimensions						Peso Weight Kg.	Imballo Packaged Volume m3
				Ø	A	B	C	D	E		
300 L	US 301 461	10 bar	1"1/2 gas	630	1210	1080	490	330	660	52	0,56

Parti di ricambio - Spare parts


Controflangia Coverflange		
Codice-Code :	V50300	
Materiale-Material:	FE	
Trattamento-Treatment :	Verniciata-Painted	

Membrana Membrane		
Codice-Code :	V42300	
Materiale-Material:	Gomma BUTILE	
Trattamento-Treatment :		

Controfl.Superiore Top flange		
Codice-Code :	V50301	
Materiale-Material:	FE	
Trattamento-Treatment :	Zincata-Galvanized	

Dado Nut		
Codice-Code :	V50880	
Materiale-Material:	FE	
Trattamento-Treatment :	Zincato-Galvanized	

Valvola Precarica Precharge valve		
Codice-Code :	V50802	
Materiale-Material:	Ottone - Brass	
Trattamento-Treatment :		



Dimensioni Scatola -
Dimensions box:

A=1275 B=600 H=690

